

23·09·05- NITE-AC-004 2 0 2 4 - 0 1 - 2 7

Certificate of Accreditation

International Accreditation Japan (IAJapan) hereby accredits the following conformity assessment body as a Reference Material Producer of ASNITE accreditation program.

Accreditation	Identification:	ASNITE	0020 RMP
riccicalitation	iucininounom.		0020 10011

Name of Conformity Assessment Body:	y: Institute of Geology and Geoinformation	
	Geological Survey of Japan	
	National Institute of Advanced Industrial Science	
	and Technology	

Name of Legal Entity: National Institute of Advanced Industrial Science and Technology

Location of Conformity Assessment Body: Central 7, 1-1-1 Higashi, Tsukuba, Ibaraki 305-8567, JAPAN

Scope of Accreditation: as the following pages

Accreditation Requirement: ISO 17034:2016*

* The relevant accreditation requirements described in the Accreditation Scheme Document for ASNITE-R (General) are also applied.

Effective Date of Accreditation: 2024-01-27

Expiry Date of Accreditation: 2028-01-26

Date of Initial Accreditation: 2007-10-24

. Saile

SAITO Kazunori Chief Executive, International Accreditation Japan (IAJapan) National Institute of Technology and Evaluation

- International Accreditation Japan (IAJapan) is an RMP accreditation body which has signed MRAs of ILAC (International Laboratory Accreditation Cooperation) and APAC (Asia Pacific Accreditation Cooperation).

- MRA requirements are, in addition to relevant international standards and guides, requirements for participation in proficiency testing programs, surveillance and reassessment, and the policy on the traceability of measurement for MRA purpose.

- This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system in accordance with the recognized International Standard ISO 17034:2016.

- The latest accreditation information is publicly available on IAJapan Website as an accreditation certificate.

Category: Chemical Reference Materials

Type: Certified Reference Material The Approach Used to Assign a Property Value: Characterization of an operationally-defined measurand using two or more methods of demonstrable accuracy in one or more competent laboratories (ISO 17034.2016 7 12 3 c))

	<u>laboratories (ISO 17034:2016 7.12.3.c))</u>					
Sub-category	Name of Materials	Property	Range of Property Value (% as mass fraction)	Characterization Technique (s)	Effective Date of Accreditation	
s	Rock	Silicon dioxide	35 % to 80 %	Gravimetric analysis, Molecular absorption spectrometry, ICP-AES ^{*1} , AAS ^{*2}	-	
		Titanium oxide	0.1 % to 2 %	ICP-AES ^{*1} , AAS ^{*2} Titrimetry		
		Aluminum oxide	3 % to 30 %			
		Iron (III) oxide	1 % to 20 %			
	Sediment	Iron (II) oxide	0.5 % to 10 %			
	Soil	Manganese oxide	0.05 % to 3 %			
	Clay	Magnesium oxide	1 % to 45 %	ICP-AES ^{*1} , AAS ^{*2}	2024-01-27	
Geochemical Certified Reference Material		Calcium oxide	0.5 % to 20 %			
		Sodium oxide	0.2 % to 10 %			
		Potassium oxide	0.1 % to 5 %			
	Phosphorus pentoxide	0.05~% to $2~%$				
	Alumin	Calcium oxide	50 % to 56 %	ICP-AES ^{*1} , AAS ^{*2}		
		Aluminum	50 mg/kg to 150 mg/kg			
		Barium	5 mg/kg to 530 mg/kg			
		Iron	15 mg/kg to 130 mg/kg			
	Carbonate Rock	Potassium	80 mg/kg to 200 mg/kg			
		Magnesium	200 mg/kg to 4000 mg/kg			
		Manganese	0.2 mg/kg to 20 mg/kg			
		Sodium	4000 mg/kg to 5000 mg/kg			
		Phosphorus	3 mg/kg to 150 mg/kg			
		Strontium	200 mg/kg to 8000 mg/kg			

*1 ICP-AES: Inductivity coupled plasma-atomic emission spectroscopy

*2 AAS: Atomic absorption spectrometry

Sub- category	Name of Materials	Property	Range of Property Value (% as mass fraction)	Characterization Technique (s)	Effective Date of Accreditation
Geochemical Certified Reference Material Mineral		Titanium oxide	0.01 % to 1 %		
		Aluminum oxide	0.2 % to 15 %		
	Iron (III) oxide	8 % to 26 %			
	Manganese oxide	0.5 % to 2 %			
	Magnesium oxide	1 % to 4 %			
		Calcium oxide	4 % to 25 %	ICP-AES ^{*1} , AAS ^{*2}	2024-01-27
	Mineral	Sodium oxide	0.05 % to 1 %		
		Potassium oxide Copper	0.01 % to 3 %		
			3 % to 4 %		
		Zinc	0.05 % to 5 %		
		Lead	0.1 % to 1 %		

*1 ICP-AES: Inductivity coupled plasma-atomic emission spectroscopy *2 AAS: Atomic absorption spectrometry

(End of Attachment)