



( 1 / 2 )  
23 · 04 · 11-NITE-AC-005  
2 0 2 3 - 1 1 - 1 5

## Certificate of Accreditation

International Accreditation Japan (IAJapan) hereby accredits the following conformity assessment body as a testing laboratory of Japan National Laboratory Accreditation System.

Accreditation Identification: JNLA 230431JP Testing

Name of Conformity Assessment Body: The Japan Cotton & Staple Fiber Fabric Inspecting Institute Foundation  
Tokyo Testing Center

Name of Legal Entity: The Japan Cotton & Staple Fiber Fabric Inspecting Institute Foundation

Location of Conformity Assessment Body: 1-10-5, Komagome, Toshima-ku, Tokyo 170-0003, JAPAN

Scope of Accreditation: as the following pages

Accreditation Requirement: ISO/IEC 17025:2017\*

\* The relevant accreditation requirements described in the Accreditation Scheme Document for JNLA are also applied.

Effective Date of Accreditation: 2023-11-15

Expiry Date of Accreditation: 2027-11-14

Date of Initial Accreditation: 2023-11-15

SAITO Kazunori

Chief Executive, International Accreditation Japan (IAJapan)

National Institute of Technology and Evaluation

- International Accreditation Japan (IAJapan) is a laboratory accreditation body which has signed MRAs of ILAC (International Laboratory Accreditation Cooperation) and APAC (Asia Pacific Accreditation Cooperation).

- MRA requirements are, in addition to relevant international standards and guides, requirements for participation in proficiency testing programs, surveillance and reassessment, and the policy for the traceability of measurement for MRA purpose.

- This laboratory fulfills ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories. This accreditation means this laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

- The latest accreditation information is publicly available on IAJapan Website as an accreditation certificate.

Name of Laboratory: The Japan Cotton & Staple Fiber Fabric Inspecting Institute Foundation  
Tokyo Testing Center  
Address: 1-10-5, Komagome, Toshima-ku, Tokyo 170-0003, JAPAN  
Conformity Assessment Activity: Testing, Reporting of Result and Management Requirement Operation(All Accreditation Scope)

<Scope of Accreditation>

Effective Date of Accreditation: 2023-11-15					
Scope of Accreditation	Materials or Products Tested	Test Type (Testing Method(s))	Component, Parameter or Characteristic Tested	Number(s) of JIS, clause and sub-clause	Notices
Textile	Textile Products	Tests for colour fastness to light, light and perspiration, weathering	Colour fastness	Testing Method Standard(s) JIS L 0842 8.3 c)	-
				Quotation Standard(s) JIS L 4107 7.2 a) JIS L 4212 6.2.1 JIS L 4403 7.2.1	-
		Tests for colour fastness to washing and laundering, dry cleaning and bleaching with hypochlorite	Colour fastness	Testing Method Standard(s) JIS L 0844 7.1 (Limited to A-1, and A-2)	-
				Quotation Standard(s) JIS L 4105 7.1.1 JIS L 4107 Appendix 2 4.2.1 JIS L 4212 6.2.2 JIS L 4403 7.2.2	-
		Tests for colour fastness to perspiration, water, sea water and transfer of dye	Colour fastness	Testing Method Standard(s) JIS L 0848	-
				Quotation Standard(s) JIS L 4107 7.2 c), Appendix 2 4.2.2 JIS L 4212 6.2.3	-
		Test for colour fastness to rubbing	Colour fastness	Testing Method Standard(s) JIS L 0849 9.2	-
				Quotation Standard(s) JIS L 4105 7.1.2 JIS L 4107 7.2 d), Appendix 2 4.2.3 JIS L 4403 7.2.3	-
		Test for tensile strength of textiles	Force	Testing Method Standard(s) JIS L 1096 8.14.1 a)	-
				Quotation Standard(s) JIS L 4107 7.4.2 e), Appendix 2 4.3	-
Test for bursting strength of textiles	Force	Testing Method Standard(s) JIS L 1096 8.18.1	-		
		Quotation Standard(s) JIS L 4107 7.4.2 a)	-		
Tests for fiber identification, quantitative analysis of fiber mixtures of textiles	Composition	Testing Method Standard(s) JIS L 1030-1 6.1, 6.2, 6.3, 6.4, 6.5, 6.6, 6.7 and 6.8 b) (except identification of hair type in 6.4) JIS L 1030-2 (except mixing ratio of hair type in 7, and 7.7.2)	-		
		Quotation Standard(s) JIS L 4105 7.8	-		
Antibacterial and Antiviral Activity	Antibacterial and Antiviral Products	Antibacterial Test	Antimicrobial Activity Value	Testing Method Standard(s) JIS L 1902 8.1 (The bacterial concentration measurement is limited to Appendix C)	-

Remarks: The latest scope of accreditation that are published on the official gazetta, IAJapan web site and so on are applied to the detail of scope of accreditation.

(End of Certificate)